

AUTOMATIC SHRINK PACKING & WRAPPING MACHINE



Automatic Shrink Packing Machine

Power Consumption	380V/50Hz - 35kw
Model	MRE-SP-FA-14



Automatic Shrink Packing Machine

Power Consumption	380V/50Hz - 30kw
Model	MRE-SP-A-15

SEMI-AUTOMATIC SHRINK PACKING & WRAPPING MACHINE



Semi-automatic Shrink Packing Machine

Power Consumption	380V/50Hz - 25kw
Model No.	MRE-SP-SA-16
Chamber Size (mm)	1500(L)x500(W)x400(H) 1200(L)x500(W)x380(H)



Semi-Automatic Shrink Packing Machine

Power Consumption	220V/50Hz - 7kw
Model	MRE-SP-SA-17
Chamber Size (mm)	800(L)x450(W)x250(H)



Semi-Automatic Shrink Packing Machine

Power Consumption	220V/50Hz - 7kw
Model	MRE-SP-SA-18
Chamber Size (mm)	800(L)x450(W)x260(H)

SHRINK TUNNEL STEAM OPERATED



Shrink Tunnel Steam Operated

Power Consumption	9 kw
Tunnel Size	1350 x 180 x 380 mm



Semi Automatic Shrink Labeling Machine

Power Consumption	10kw
-------------------	------



Temper Proof Shrinking Machine

Power Consumption	3kw
-------------------	-----

Semi Automatic L- Sealer Machine

Power Consumption	220V/50Hz - 10kw
-------------------	------------------



2 in 1 L- Sealer Machine

Power Consumption	4kw
-------------------	-----

AUTOMATIC CELLOPHANE OVER WRAPPING MACHINES



SEMI AUTOMATIC CELLOPHANE OVER WRAPPING MACHINES



After sale, we provide complete technical support. For upgradation, technical specification are subject to change without notice.



GLOBAL STERLING PRODUCTS LIMITED

379, Ikorodu Road, Opp. Ojota New Garage, Lagos, Nigeria.

Phone: +234-1-7737853, 7908227, 7612444, 4971373

E-mail: harness@hyperia.com, info@gsplautopack.com

Website: www.autopackglobal.com, www.watertekglobal.com